

CONTENTS

Crystal structures of two modifications of <i>trans</i> -1,3-bis(3,4-dimethoxyphenyl)-2,3-epoxy-1-propanone <i>Rolf Stomberg, Shiming Li, and Knut Lundquist</i>	407
Structure of $[\text{La}(\text{NO}_3)_3(\text{OH}_2)_2(\text{OHMe})(\text{bipy})] \cdot 15\text{-crown-5}$ <i>Zhen Ping Ji and Robin D. Rogers</i>	415
Structure of bis(2-pyridine-N-oxide) diselenide and its formation from tetraphenylantimony(V)selenopyridine-N-oxide <i>Georgia M. Arvanitis, Michael E. Berardini, Darryl Allardice, and Phillip E. Dumas</i>	421
Crystal structure of cesium sodium hexathiocyanatobismuthate $\text{Cs}_2\text{Na}[\text{Bi}(\text{SCN})_6]$ and characterization of $\text{Cs}_2\text{Na}[\text{Bi}(\text{SCN})_{6-x}\text{Cl}_x]$ and $\text{Cs}_2\text{Na}[\text{Bi}_2(\text{SCN})_{9-x}\text{Cl}_x]$ complexes by X-ray power diffraction <i>M. Bukowska-Strzyżewska, A. Cygański, W. Maniukiewicz, A. Turek, and K. Zagajewska</i>	425
The molecular and crystal structure of endo-2-methyl-7-hydroxy-7-oxo-N-phenyl-7-phosphabicyclo-[2.2.1] hept-2-ene-5,6-dicarboximide <i>M. W. Wieczorek, G. D. Bujacz, R. Bodalski, and Louis D. Quin</i>	431
The Crystal structure of calcium succinate monohydrate <i>M. Mathew, S. Takagi, B. O. Fowler, and M. Markovic</i>	437
Crystal and molecular structure of $[\text{Zn}(\text{II})]_2(\text{diacetoamidoglutarate})_2 \text{ hexaaquo} \cdot 2\text{H}_2\text{O}$, an unusual macrocyclic dimer with pentacoordinated Zn in a slightly distorted trigonal bipyramid <i>J. Gómez-Lara, R. A. Toscano, G. Negrón, Eduardo Zárate M., and A. Campero</i>	441
Synthesis, characterization, and structure of lanthanide picrate complexes with tetramethylenesulfoxide (TMSO) <i>L. B. Zinner, J. D. Ayala, M. A. Andrade da Silva, G. Bombieri, and A. Del Pra</i>	445
Molecular structure of <i>rac</i> -(4R*,4aS*,10aS*)-4-nitro-1,2,3,4,4a,9,10,10a-octahydrophenanthren-4a-ol, an unusual by-product of nitration of a crude 9,10 dihydrophenanthrene <i>Franco Fernández, J. López De Lerma, Aurea Perales, and Gonzalo Rodríguez</i>	451
Distortions of molecular geometry in pentafluorophenyl rings bonded to metals <i>J. A. Hermoso, F. H. Cano, and M. Martínez-Ripoll</i>	457
Synthesis, characterization, and crystal structure of 1,3,7,9-tetramethylpyrido-[2,3-d:6,5-d']-dipyrimidine-2,4,6,8-tetrone <i>C. Enrique-Mirón, M. Quirós-Olozábal, M. A. Romero-Molina, J. M. Salas-Peregrín, M. P. Sánchez-Sánchez, F. Hueso-Ureña, M. N. Moreno-Carretero, and J. D. Martín-Ramos</i>	465
NOTES	
Synthesis and structure of 1,10-phenanthroline bis{2-[(2-pyrrole)methylimino]phenolato}cobalt(II) <i>J. Castro, J. Romero, J. A. García-Vázquez, A. Sousa, and A. Castiñeiras</i>	469
Crystal structure of bis(triphenylphospine)iminium p-tolyl-sulfonate, $[(\text{PPh}_3)_2\text{N}^+][\text{CH}_3\text{C}_6\text{H}_4\text{SO}_3^-]$ <i>Melvyn Rowen Churchill, Charles H. Lake, Ping Wang, and Jim D. Atwood</i>	473
FUTURE CONTRIBUTIONS TO JOURNAL OF CHEMICAL CRYSTALLOGRAPHY	477
INSTRUCTIONS TO CONTRIBUTORS	479

CONTENTS

Synthesis and X-ray structure of new 5-amino-3-methyl-4-isoxazolecarboxylic acid azides <i>Stanislaw Ryng, Zdzislaw Machoń, and Tadeusz Głowiak</i>	483
Structural and electrochemical characterization of 1,3-bis(4-methylphenyl)imidazolium chloride <i>Joan Fuller and Richard T. Carlin</i>	489
Inclusion compounds of N, N, N', N'-tetraisopropylfumaride with isomers of methyl phenol and water <i>Mino R. Caira, Luigi R. Nassimbeni, Janet L. Scott, and Fumio Toda</i>	495
Crystal structure of two oximes in <i>cis</i> -pinane series <i>Krzysztof Burak, Zbigniew Ciunik, and Tadeusz Głowiak</i>	503
Crystal and molecular structure of 1,4-S,S'-Bis-isothiosemicarbazidebutane dihydrobromide <i>Zbigniew Ciunik, Krzysztof Drabent, and Mikołaj F. Rudolf</i>	507
Preparation, spectral studies, and X-ray crystal structure of 1,3,5-triphenyl-1,5-pentanedione, C ₂₃ H ₂₀ O ₂ <i>G. C. Das, M. B. Hursthouse, K. M. A. Malik, M. M. Rahman, M. T. Rahman, and T. Olsson</i>	511
Molecular structure of isopropyl 1-phenyl-4-phenylhydrazono-5-oxo-3-pyrazolecarboxylate <i>J. Skoweranda, M. Bukowska-Strzyżewska, and W. Strzyżewski</i>	517
Molecular structure of N-(2-phenylethyl)amide of α -(1,1-ethylenedioxy)-ethyl γ -hydroxybutyric acid (I) and ¹ H NMR spectra of (I) and N-(p-methoxybenzyl)derivative(III) <i>W. Wiczorek and B. Malawska</i>	521
Crystal structures of 2-phenyl- and 2-benzyl-5,6-dihydro-6-hydroxy-7H-1,2,4-triazolo [3,2-b] 1,3-thiazines <i>Mark L. Głowka, Henryk Foks, and Waleria Rudnicka</i>	527
Primary to secondary sphere coordination of 15-crown-5 to lanthanide(III) chlorides: structural analysis of [MCl ₃ -(15-crown-5)] (M = La, Ce) and [Er(OH ₂) ₈]Cl ₃ ·15-crown-5 <i>Robin D. Rogers and Andrew N. Rollins</i>	531
Complexation with diol host compounds. Part 19. Structures and thermal analysis of inclusion compounds of <i>trans</i> -9,10-dihydroxy-9,10-dihydroxy-9,10-diphenyl-9,10-dihydroanthracene with dimethylsulphoxide, diethylketone and (\pm)-2-butanol <i>Leonard J. Barbour, Mino R. Caira, and Luigi R. Nassimbeni</i>	539
Inclusion compounds of N, N, N', N'-tetracyclohexylfumaride with isomers of cresol and water <i>Mino R. Caira, Luigi R. Nassimbeni, and Janet L. Scott</i>	545
Notes	
Crystal structure of p-chloro- and p-bromobenzaldehyde <i>Doyle Britton</i>	553
Crystal structure of <i>trans</i> -carbonylchlorobis(tricyclohexylphosphine)-iridium(I), <i>trans</i> -Ir(CO)Cl[P(cyclo-C ₆ H ₁₁) ₃] ₂ , a disordered species <i>Melvyn Rowen Churchill, Charles H. Lake, Cynthia A. Miller, and Jim D. Atwood</i>	557
FUTURE CONTRIBUTIONS TO JOURNAL OF CHEMICAL CRYSTALLOGRAPHY	561
INSTRUCTIONS TO CONTRIBUTORS	563

CONTENTS

Synthesis and characterization of ternary L-histidine complexes. Crystal structure of (2,2'-dipyridyl)-(L-histidinato-N,N',O)copper(II) perchlorate 1.5 hydrate <i>Laila H. Abdel-Rahman, Luigi Pietro Battagalia, Paolo Sgarabotto, and Mohammed R. Mahmoud</i>	567
Structure of p-tert-butylcalix[5]arene · ethyl acetate. A polymeric array of neighbor-included calixarenes <i>Jerry L. Arwood, Ravindra K. Juneja, Peter C. Junk, and Kerry D. Robinson</i>	573
Structure of an unusual, 8-coordinate, exclusive cryptate of ytterbium(III) containing multiple nitrate and N-thiocyanato ligands <i>Zhen Hau Xu, Yue Jun Li, Qi Xiu Zhu, Yu Zhen Han, Guang Xian Xu, and Ian S. Butler</i>	577
Structural study of thiosaccharin by single crystal X-ray diffraction and infrared spectroscopy <i>O. Grupče, M. Penavič, and G. Jovanovski</i>	581
X-ray structure and NMR assignment of 4-methoxy-4'-methylthio-3,3'-diquinoliny sulfide <i>Krystian Pluta and Tadeusz Glowiak</i>	587
Structure of bis(η^5 -methoxycarbonylcyclopentadieny)cobalt(III) hexafluorophosphate, $[\text{Co}(\text{C}_5\text{H}_4\text{COOMe})_2](\text{PF}_6)$ <i>Alfred A. Avey, David R. Tyler, and Timothy J. R. Weakley</i>	593
Structure of the dipeptide L-lysine-L-leucine · acetate, 0.5 acetic acid hemihydrate <i>M. Perello, N. Verdaguer, J. Aymami, and I. Fita</i>	597
Crystal structure of bis-N,N'-p-chloro-salicylideneamine-1,2-diaminobenzene <i>Yalçın Elerman, Ayhan Elmali, Mehmet Kabak, Metin Aydin, and Murat Peder</i>	603
Structural characterization of oxidized lumiflavin hydrochloride hydrate: Comparison with the hydrogen bonding at the cofactor of flavoproteins <i>J. Wouters, F. Moureau, Ph. Perpète, B. Norberg, G. Evrard, and F. Durant</i>	607
Synthesis, crystal and molecular structure, and vibrational characterization of N,N-dimethyl-oxathioamidate monohydrate <i>Marleen L. B. F. Hereygers, Herman O. Desseyn, Spyros P. Perlepes, Koen A. F. Verhulst, and Albert T. H. Lenstra</i>	615
Synthesis and X-ray crystal structure investigation of a potential boronate affinity chromatography ligand o-boronobenzaldehyde methoxyamine <i>W. H. Scouten, X.-C. Liu, N. Khangin, D. F. Mullica, and E. L. Sappenfeld</i>	621
Amino acid complexes of $[\text{Co(III)(trien)}]^{+3}$ <i>Etim E. Eduok, Ram P. Kashyap, Ante Nagl, Susan A. Bourne, and William H. Watson</i>	627
Structure of platinum(II) complex containing a benzothiazole derivative: $[\text{Pt}(\text{3,4-dsb})\text{BR}_3]$ <i>Cesar M. Lozano, Mariel M. Muir, Xuejiao Tang, and Yongji Li</i>	639
NOTES	
Crystal and molecular structure of 2-(1,3-dioxo-1,3-dihydro-isindol-2-yl)-3-(4-methyl-5-oxo-2,5-dihydro-furan-2-yloxy)-acrylic acid methyl ester, $\text{C}_{17}\text{H}_{13}\text{NO}_7$ <i>Gezina Beurskens, J. M. M. Smits, Paul T. Beurskens, M. Beenackers, G. Nefkens, and B. Zwanenburg</i>	643
Crystal and molecular structure of $\Delta^{1(10)}$ -1,5-secograyanotoxin 3,6,14,16,20-pentaacetate <i>M. Sato, Y. Katsube, T. Terai, J. Katakawa, and T. Tetsumi</i>	647
FUTURE CONTRIBUTIONS TO JOURNAL OF CHEMICAL CRYSTALLOGRAPHY	653
INSTRUCTIONS TO CONTRIBUTORS	655

CONTENTS

Metal complexes of chiral pyridine ligands. X-ray structure of nitratobis[2-[(2S)-2-pyrrolidinyl]pyridine]copper (II) nitrate	659
<i>Alessia Bacchi, Giorgio Chelucci, Manlio Grandino, Giovannina Minardi, Corrado Pelizzi, Giancarlo Pelizzi, and Constantino Solinas</i>	
Crystallographic and NMR evidence for the enol tautomer of 3-methoxy-4-hydroxy-5-chlorophenylpyruvic acid	665
<i>D.W. Oliver, P.P. Haasbroek, J.M. Leger, and A.J.M. Carpy</i>	
Spectroscopic, thermal, and X-ray diffraction studies of tetrakis(thiourea)palladium chloride bis(5,7-dimethyl[1,2,4]triazolo[1,5-a]pyrimidine dihydrate	669
<i>Juan M. Salas, Abderrahman Rahmani, Maria A. Romero, Miguel Quiros, and Edward R.T. Tiekink</i>	
Crystal structure, spectroscopic study, molecular modelling, and <i>in vitro</i> antimicrobial activity testing of 2,2'-thiobis[4,6-diphenylpyridine-3-carbonitrile]	675
<i>P. Victory, N. Busquets, J.I. Borrell, I. Sanchez, J. Teixido, B. Serra, A. Alvarez-Larena, J.F. Piniella, J. Guinea, and J. Garcia</i>	
Crystal structures of 2-pyrazinecarboxylato silver(I) and ammine 2,3-pyrazinedicarboxylato disilver(I)	681
<i>F. Jaber, F. Charbonnier, and R. Faure</i>	
Crystal and molecular structure of the ethanol adduct of tris(oxinato) indium(III)	685
<i>N. Korber, B. Achour, and F. Nepveu</i>	
Very strong hydrogen bonds in hydrated 1:1 adducts of an olefinic double betaine with perchloric and nitric acids: $L \cdot HClO_4 \cdot H_2O$ and $L \cdot HNO_3 \cdot H_2O$ [$L = cis-(p-Me_2N^+C_5H_4N)_2C_2(COO^-)_2$]	689
<i>De-Dong Wu and Thomas C.W. Mak</i>	
Molecular complexes of sulfonamides. 3. Structure of 5-methoxysulfadiazine (Form II) and its 1:1 complex with acetylsalicylic acid	695
<i>Mino R. Caira</i>	
Crystal and molecular structure of 2,6-dihydroxybenzoic acid	703
<i>Leonard R. MacGillivray and Michael J. Zaworotko</i>	
Crystal structure of $Pt(S_2COEt)_2$	707
<i>Robin D. Rogers, Michael J. Adrowski, and Andrew H. Bond</i>	
NOTES	
Crystal structure of η^5 -cyclopentadienyl- η^4 -hexakis(trifluoromethyl) benzenerhodium, $Rh(\eta^5-C_5H_5)[\eta^4-C_6(CF_3)_6]$: A new study with counter data	711
<i>David George Churchill, Melvyn Rowen Churchill, and Charles H. Lake</i>	
X-ray crystal structure of 1,4-diphenylbutadiyne	715
<i>Jacqueline K.D. Surette, Mary-Anne MacDonald, Michael J. Zaworotko, and Robert D. Singer</i>	
FUTURE CONTRIBUTIONS TO JOURNAL OF CHEMICAL CRYSTALLOGRAPHY	719
INSTRUCTIONS TO CONTRIBUTORS	721

Journal of CHEMICAL CRYSTALLOGRAPHY

Volume 24, Number 11

November 1994

CONTENTS

Structures of 1,2,3,4-tetrahydro-6H-pyrimido[2,1-b]quinazolin-6-one and its hydrochloride <i>Marek L. Glowka, Andrzej Olczak, and Lucyna Korzycka</i>	725
Synthesis, structure, and IR characterization of disodium tetra(9,10-dihydro-9-oxo-10-acridineacetato)zincate(II) bis(ethanol) heptahydrate <i>Danuta Miernik and Tadeusz Lis</i>	731
The structure of dimethylcroctin <i>Petros A. Tarantilis, Moschos Polissiou, Dimitri Mentzafos, Aris Terzis, and Michel Manfait</i>	739
Structure of methylphenylhydrazone form of 2-(2-methylphenylazo)-1,3-indandione <i>S. Ide, E. Kendi, and N. Ertan</i>	743
The structure of ethyl allyl 1,4-dihydro-2,6-dimethyl-4-[4-(4H-4-oxo-1-benzopyran-2-yl) phenyl]-3,5-pyridine dicarboxylate <i>Engin Kendi, Süheyla Özbey, Meral Tuncbilek, Rahmiye Ertan, Hoong-Kun Fun, and Boon-Chuan Yip</i>	747
Crystal structure and low-temperature emission of [(dmp)Cu(μ -S ₂ butphos) ₂ Cu(dmp)][BF ₄] ₂ · 6CH ₂ Cl ₂ (dmp = 2,9- dimethyl-1,10-phenanthroline; S ₂ butphos = 1,4-bis(diphenylphosphinesulfido)butane) <i>Randall K. Reigle, Dominick J. Casadonte, Jr., and Simon G. Bott</i>	753
NOTE The crystal and molecular structure of N-(methylsulfonyl)-N-(2,6)-(dimethylphenyl)methanesulfonamide	759
FUTURE CONTRIBUTIONS TO JOURNAL OF CHEMICAL CRYSTALLOGRAPHY	763
INSTRUCTIONS TO CONTRIBUTORS	765

CONTENTS

Crystal structure and low-temperature emission of 2,9-dimethyl-1,10-phenanthrolinebis(triphenylphosphinesulfide)copper(I) <i>Randall K. Reigle, Dominick J. Casadonte Jr., and Simon G. Bott</i>	769
Structure, absolute configuration, and conformation of a fused complex cyclic carbohydrate from a cameroon plant extract (CAMT2) <i>Tapan K. Chattopadhyay, John N. Lisgarten, and Rex A. Palmer</i>	775
Cholic acid inclusion compounds with ketone guests <i>Mino R. Caira, Luigi R. Nassimbeni, and Janet L. Scott</i>	783
Crystal and molecular structure of 2-isopropylidene-5-methyl-1,3-dithiolane-1-oxide, $C_7H_{12}OS_2$ <i>J. M. M. Smits, Paul T. Beurskens, L. A. van Vliet, G. Mazzanti, and B. Zwanenburg</i>	793
The synthesis and crystal structure of $[La(OH_2)_5(phen)_2]Cl_3 \cdot 4H_2O \cdot phen$ <i>Zhen Ping Ji and Robin D. Rogers</i>	797
X-ray structure of tetramethyl thiophenetetracarboxylate <i>John N. Bridson, Melbourne J. Schriver, and Shuguang Zhu</i>	801
Crystal and molecular structures of trio(<i>o</i> -tolyl)phosphinegold(I) purine-6-thiolate ethanol solvate (1/1) and tri(<i>c</i> -hexyl)phosphinegold(I) 6-methyl-2-thiouracilate <i>Peter D. Cookson and Edward R. T. Tiekink</i>	805
The crystal structure of a cyclodecabis[1,2,3]selenadiazole <i>Guillermo A. Morales and Frank R. Fronczek</i>	811
NOTES	
The disordered macrocyclic, (15-ane N_5) $Cu(II)(ClO_4)_2$ at low temperature <i>Jan C. A. Boeyens and Ebeth-Louise Oosthuizen</i>	815
FUTURE CONTRIBUTIONS TO THE JOURNAL OF CHEMICAL CRYSTALLOGRAPHY	817
AUTHOR INDEX TO VOLUME 24	819
INSTRUCTIONS TO CONTRIBUTORS	831